



00121025

Lettering clip



- ▶ Standardized labeling of grab containers
- ▶ Interchangeable labels (74 mm x 37 mm)

		No.
Lettering clips (incl. labels)	10	3 842 536 127




00121001



00121004










Grab container rack application

- ▶ Easy-to-reach, ergonomic supply of materials in grab containers on the workstation
- ▶ Minimized grab distances by positioning materials in direct vicinity of worker
- ▶ Notches for adjusting the height and offset position of the grab containers
- ▶ Can be combined with a swiveling supporting arm (see page 60)
- ▶ Assembly elements for custom configurations of grab container rack in variable widths, see “Components” section (see page 176)



00137571

Supporting arm assembly elements




	L (mm)		ESD	No.
A 45x45L strut profile, DB17 profile machining (through hole d = 17) on one profile end; material: aluminum; anodized	50 ... 6000	1		3 842 993 737/L/A=D17/-
	6070	20		3 842 553 611
B 30x45 strut profile; material: aluminum; anodized	50 ... 5600	1		3 842 993 710/L
	5600	18		3 842 511 704
D 45x45 swivel bearing, incl. fastening material for 10 mm slot; material: diecast zinc				3 842 522 634
E 45x45 supporting arm joint, incl. fastening material for 10 mm slot; material: diecast zinc				3 842 521 263
F R28x38 bracket, incl. fastening material for 8 mm slot; material: diecast zinc				3 842 515 547
G R35x38 bracket, incl. fastening material for 10 mm slot; material: diecast aluminum				3 842 532 274
H Suspension profile; material: aluminum; anodized	30 ... 3000	1		3 842 993 411/L
	3000	10		3 842 537 679
	Suspension profile; material: aluminum; natural	30 ... 3000	1	3 842 993 063/L
		3000	10	3 842 554 157
I 15x30 suspension profile cap; material: PP; black			20	3 842 551 583
	15x30 suspension profile cap; material: PP, signal gray		20	3 842 551 582


Supporting arm assembly elements




00120957




00120958




00131555




00131519



00109453



00116470



00109393

	L (mm)			ESD	No.
A 45x45L strut profile; material: aluminum; anodized	50 ... 6000	1			3 842 993 737/L
C 30x30 2NVS; material: aluminum; anodized	50 ... 5600	1			3 842 993 706/L
	5600	20			3 842 506 949
F R28x38 bracket, incl. fastening material for 8 mm slot; material: diecast zinc					3 842 515 547
H 45x45 joint, incl. fastening material for 10 mm slot; material: diecast zinc					3 842 538 687
I Clamping lever					3 842 538 607
J Inner bracket for 8 mm slot; material: steel; galvanized, transparent passivated			10		3 842 535 577
K 45x45 cap; material: PP; black			20		3 842 548 753
45x45 cap; material: PP, signal gray			100		3 842 548 752
L 30x30 cap; material: PP; black			20		3 842 548 745
30x30 cap; material: PP, signal gray			100		3 842 548 744